



1993 · CONTENTS

ANIMAL BEHAVIOUR

EDITORS

TIMOTHY J. ROPER

UNIVERSITY OF SUSSEX

MEREDITH J. WEST

INDIANA UNIVERSITY

ASSOCIATE EDITORS

FRED C. DYER

ELLEN D. KETTERSON

DALE F. LOTT

ACADEMIC PRESS · LONDON

CONTENTS OF VOLUME 46

| | |
|---|----------|
| <i>Accipiter gentilis</i> : sex differences in sociality and nest-switching | 371 |
| <i>Accipiter gentilis</i> : the causes of dispersal | 365 |
| <i>Accipiter nisus</i> : age and site fidelity in females | 161 |
| <i>Acrocephalus palustris</i> , effect of geomagnetic field on orientation of, in Sweden and Kenya | 1157 |
| ADHIKARANA, A. S. & SLATER, P. J. B. Singing interactions in coal tits, <i>Parus ater</i> : an experimental approach | 1205 |
| ADRET, P. Operant conditioning, song learning and imprinting to taped song in the zebra finch | 149 |
| Age and site fidelity in female sparrowhawks, <i>Accipiter nisus</i> | 161 |
| <i>Agelenopsis aperta</i> : fitness-linked traits | 669 |
| Age-related differences in reproductive tactics in the three-spined stickleback | 961 |
| ÅKESSON, S. Effect of geomagnetic field on orientation of the marsh warbler, <i>Acrocephalus palustris</i> , in Sweden and Kenya | 1157 |
| Alarm calls, meaning of; functional reference in an avian vocal system | 23 |
| ALCOCK, J., see SLOTOW, R. | |
| ALLEN, J. A., see TUCKER, G. M. | |
| Allongrooming behaviour among adult female wedge-capped capuchin monkeys | 499 |
| ANDERSON, M. E. & RACEY, P. A. Discrimination between fluttering and non-fluttering moths by brown long-eared bats, <i>Plecotus auritus</i> | 1151 |
| Anecdotes: do animals attribute mental states? | 177 |
| Anoles, green, <i>Anolis carolinensis</i> , contextual signalling and the structure of dyadic encounters | 657 |
| <i>Anolis carolinensis</i> : contextual signalling and the structure of dyadic encounters | 657 |
| Ants, <i>Formica argentea</i> , non-random behavioural interactions among genetic subgroups in | 431 |
| Ants, <i>Lasius flavus</i> , interactions with larvae | 1177 |
| Ants, <i>Polyergus breviceps</i> , parasitic, colony takeover by | 479 |
| Ants, <i>Tetramorium caespitum</i> , interactions with larvae | 1177 |
| <i>Apis mellifera</i> : foraging experience influences dance behaviour | 123 |
| <i>Apis mellifera</i> : reorientation following colony fission | 311 |
| Apostatic selection by humans, behavioural basis of | 713 |
| ASOH, K., see BLAUSTEIN, A. R. | |
| Attendance and maternal care in Serengeti spotted hyaena | 575 |
| Avian vocal system, functional reference; meaning of alarm calls | 23 |
| AXÉN, A. H., see LEIMAR, O. | |
| Baboons, olive, <i>Papio anubis</i> , feeding competition among females | 777, 791 |
| BACHMAN, G. C. The effect of body condition on the trade-off between vigilance and foraging in Belding's ground squirrels | 233 |
| BAKER, A. J., DIETZ, J. M. & KLEIMAN, D. G. Behavioural evidence for monopolization of paternity in multi-male groups of golden lion tamarins | 1091 |
| BAKER, A. J., see DIETZ, J. M. | |
| BAKER, R. R. & BELLIS, M. A. Human sperm competition: ejaculate adjustment by males and the function of masturbation | 861 |
| BAKER, R. R. & BELLIS, M. A. Human sperm competition: ejaculate manipulation by females and a function for the female orgasm | 887 |
| BAPTISTA, L. F., TRAIL, P. W., DEWOLFE, B. B. & MORTON, M. L. Singing and its functions in female white-crowned sparrows | 511 |
| BARTON, R. A. Sociospatial mechanisms of feeding competition in female olive baboons, <i>Papio anubis</i> | 791 |
| BARTON, R. A. & WHITEN, A. Feeding competition among female olive baboons, <i>Papio anubis</i> | 777 |
| Bats, evening, <i>Nycticeius humeralis</i> ; isolation calls provide evidence for heritable signatures | 847 |
| Bats, long-eared, brown, <i>Plecotus auritus</i> , discrimination between fluttering and non-fluttering moths by | 1151 |
| BECK, M. W., see DODSON, G. N. | |
| Bees, bumble, <i>Bombus impatiens</i> , learning constraints and floral choice behaviour | 637 |
| Bees, honey, <i>Apis mellifera</i> ; foraging experience influences dance behaviour | 123 |
| Bees, honey, <i>Apis mellifera</i> ; reorientation following colony fission | 311 |
| BEEBEE, T. J. C., see DENTON, J. S. | |
| Beetles, flour, <i>Tribolium</i> , reproductive success, and parasites | 305 |
| BELLIS, M. A., see BAKER, R. R. | |
| BERDOY, M. Defining bouts of behaviour: a three-process model | 387 |
| BERGLUND, A. Risky sex: male pipefishes mate at random in the presence of a predator | 169 |
| BERMAN, C. M., see JOHNSON, R. L. | |
| Birds, altricial, fledging in; parental manipulation or sibling competition? | 379 |
| Birds, theory of intraspecific nest parasitism | 335 |
| Birds, wild; use of size to distinguish palatable and unpalatable prey types | 347 |
| BLACK, J. M., see CHOUDHURY, S. | |

| | |
|---|---------------|
| BLAUSTEIN, A. R., YOSHIKAWA, T., ASOH, K. & WALLS, S. C. Ontogenetic shifts in tadpole kin recognition: loss of signal and perception | 525 |
| Body condition: effect on the trade-off between vigilance and foraging in Belding's ground squirrels .. | 233 |
| BÖHNER, J., see CHAIKEN, M. | |
| <i>Bombus impatiens</i> : learning constraints and floral choice behaviour | 637 |
| Bouts of behaviour, defining: a three-process model | 387 |
| <i>Branta leucopsis</i> : mate-selection behaviour and sampling strategies | 747 |
| Brood parasitism as a flexible female reproductive tactic in American coots | 911 |
| BROWN, G. S. & GASS, C. L. Spatial association learning by hummingbirds | 487 |
| BROWN, R. E., see GÜBERNICK, D. J. | |
| <i>Bufo calamita</i> : reproductive strategies in a female-biased population | 1169 |
| Buntins, indigo, <i>Passerina cyanea</i> , song copying and cultural transmission | 1045 |
| Calls, alarm, meaning of; functional reference in an avian vocal system | 23 |
| Calls, isolation, evening bat, provide evidence for heritable signatures | 847 |
| <i>Capra hircus</i> , maternal labelling in | 705 |
| <i>Carassius auratus</i> males: spawning success is enhanced by 17,20 β P | 245 |
| Cardinals, red-capped, <i>Paroaria gularis</i> , an early warning system for detecting intruders | 1105 |
| <i>Cebus olivaceus</i> , allogrooming behaviour among adult females | 499 |
| <i>Cebus olivaceus</i> : asymmetries in grooming interactions between juvenile and adult females | 929 |
| <i>Cerocebus torquatus atys</i> , conflict resolution in | 685 |
| CHAIKEN, M., BÖHNER, J. & MARLER, P. Song acquisition in European starlings, <i>Sturnus vulgaris</i> : a comparison of the songs of live-tutored, tape-tutored, untutored, and wild-caught males | 1079 |
| Chemicals obtained during host-queen killing; colony takeover by parasitic ant, <i>Polyergus breviceps</i> .. | 479 |
| CHEVALIER-SKOLNIKOFF, S. & LISKA, J. Tool use by wild and captive elephants | 209 |
| Chicks, domestic, <i>Gallus gallus domesticus</i> , reduction of their fear of human beings by handling .. | 991 |
| Chickens, <i>Gallus gallus</i> , response to simulations of aerial predators; effects of size and speed | 1 |
| CHOUDHURY, S. & BLACK, J. M. Mate-selection behaviour and sampling strategies in geese | 747 |
| CIGLIANO, J. A. Dominance and den use in <i>Octopus bimaculoides</i> | 677 |
| CLAPHAM, P. J., see WILEY, D. N. | |
| CLUTTON-BROCK, T. H., DEUTSCH, J. C. & NEFDT, R. J. C. The evolution of ungulate leks | 1121 |
| Cognition, culture and imitation | 999 |
| COLLIER, G., see JOHNSON, D. F. | |
| Colony takeover by a socially parasitic ant, <i>Polyergus breviceps</i> | 479 |
| Colours, early approach preferences of, in quail | 95 |
| <i>Columba livia</i> orientation; use of map-and-compass mechanism | 1195 |
| Commuting system of Serengeti spotted hyaenas | 547, 559, 575 |
| Competition, feeding, among female olive baboons | 777, 791 |
| Competition, sibling; fledging in altricial birds | 379 |
| Competition, sperm, human; ejaculate adjustment by males and the function of masturbation .. | 861 |
| Competition, sperm, human, ejaculate manipulation by women | 887 |
| Conflict avoidance among rhesus monkeys; short-term crowding | 221 |
| Conflict resolution in sooty mangabeys | 685 |
| Coots, American, <i>Fulca americana</i> ; brood parasitism as a female reproductive tactic | 911 |
| <i>Cotesia rubecula</i> : mate-guarding behaviour | 1183 |
| <i>Coturnix coturnix japonica</i> : early approach preferences of patterns and colours | 95 |
| Cowbirds, brown-headed, wild, <i>Molothrus ater artemisiae</i> , song learning in | 293 |
| <i>Crocota crocata</i> : ontogeny of dominance; juvenile rank relations with adult females and immigrant males | 467 |
| <i>Crocota crocata</i> : ontogeny of dominance; juvenile rank relations with other immature individuals .. | 451 |
| Crowding, coping with, in <i>Macaca mulatta</i> | 221 |
| Cues of fish, effects of, on the behavioural responses of tadpoles | 355 |
| Cultural transmission of song in indigo buntings | 1045 |
| Culture, cognition and imitation | 999 |
| DALL'ANTONIA, P., see LUSCHI, P. | |
| Damselfish, bicolor, female, <i>Stegastes partitus</i> ; egg survival and nest fidelity | 111 |
| Dance behaviour of <i>Apis mellifera</i> is influenced by foraging experience | 123 |
| DEARBORN, D. C. & WILEY, R. H. Prior residence has a gradual influence on dominance in captive white-throated sparrows | 39 |
| DEFRAIPONT, M. & SORESENSEN, P. W. Exposure to the pheromone 17 α ,20 β -dihydroxy-4-pregnen-3-one enhances the behavioural spawning success, sperm production and sperm motility of male goldfish | 245 |
| DEFRAIPONT, M., FITZGERALD, G. J. & GUDERLEY, H. Age-related differences in reproductive tactics in the three-spined stickleback, <i>Gasterosteus aculeatus</i> | 961 |
| DE MAZIÈRES, J., see FEH, C. | |

CONTENTS

| | |
|--|----------|
| Den use and dominance in <i>Octopus bimaculoides</i> | 677 |
| DENTON, J. S. & BEEBEE, T. J. C. Reproductive strategies in a female-biased population of natterjack toads, <i>Bufo calamita</i> | 1169 |
| <i>Desmognathus fuscus fuscus</i> : sexual incompatibility and mate-recognition | 267 |
| <i>Desmognathus ochrophaeus</i> : sexual incompatibility and mate-recognition | 267 |
| DEUTSCH, J. C., see CLUTTON-BROCK, T. H. | |
| DE WAAL, F. B. M., see JUDGE, P. G. | |
| DEWOLFE, B. B., see BAPTISTA, L. F. | |
| DIETZ, J. M. & BAKER, A. J. Polygyny and female reproductive success in golden lion tamarins, <i>Leontopithecus rosalia</i> | 1067 |
| DIETZ, J. M., see BAKER, A. J. | |
| Discrimination between fluttering and non-fluttering moths by brown long-eared bats, <i>Plecotus auritus</i> | 1151 |
| Discrimination between kids by recently parturient goats | 705 |
| Dishonesty and the handicap principle | 759 |
| Dispersal of goshawks | 365 |
| Dispersal, natal, in feral ponies: some sex differences | 969 |
| Diving behaviour of lactating harp seal, <i>Phoca groenlandica</i> , females | 1213 |
| DODSON, G. N. & BECK, M. W. Pre-copulatory guarding of penultimate females by male crab spiders, <i>Misumenoides formosipes</i> | 951 |
| Dominance and den use in <i>Octopus bimaculoides</i> | 677 |
| Dominance in free-living spotted hyaenas: juvenile rank relations with adult females and immigrant males | 467 |
| Dominance in free-living spotted hyaenas: juvenile rank relations with other immature individuals | 451 |
| Dominance rank, maternal, and secondary sex ratio in domestic swine | 79 |
| Dominance in white-throated sparrows; influence of prior residence | 39 |
| Dragonflies, white-faced, male, <i>Leucorrhinia intacta</i> , alternative mating tactics in | 325 |
| DRICKAMER, L. C., see MEIKLE, D. B. | 79 |
| <i>Dryomyza anilis</i> : size-related male movement | 731 |
| DUKAS, R. & REAL, L. A. Learning constraints and floral choice behaviour in bumble bees | 637 |
| DUNN, P. O., see WHITTINGHAM, L. A. | |
| Dustbathing in Burmese red junglefowl; causal factors | 627 |
| Dyadic encounters in <i>Anolis carolinensis</i> ; contextual signalling | 657 |
| DYER, F. C., see ROBINSON, G. E. | |
| Early warning system for detecting intruders in a territorial animal | 1105 |
| EASON, P. K. & STAMPS, J. A. An early warning system for detecting intruders in a territorial animal | 1105 |
| EAST, M. L., see HOFER, H. | |
| Egg survivorship: influence on nest fidelity of female <i>Stegastes partitus</i> | 111 |
| Ejaculate adjustment by human males | 861 |
| Ejaculate manipulation by women | 887 |
| Electric fish <i>Gnathonemus petersii</i> , sex differences in | 417 |
| Elephants, <i>Elaphus maximus</i> , tool use by | 209 |
| Elephants, <i>Loxodonta africana</i> , tool use by | 209 |
| Elephants, wild and captive, tool use by | 209 |
| ENDERS, M. M. The effect of male size and operational sex ratio on male mating success in the common spider mite, <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae) | 835 |
| Environmental control of mating in female rhesus monkeys | 63 |
| <i>Equus caballus</i> : grooming at a preferred site reduces heart rate | 1191 |
| EVANS, C. S., EVANS, L. & MARLER, P. On the meaning of alarm calls: functional reference in an avian vocal system | 23 |
| EVANS, C. S., MACEDONIA, J. M. & MARLER, P. Effects of apparent size and speed on the response of chickens, <i>Gallus gallus</i> , to computer-generated simulations of aerial predators | 1 |
| EVANS, L., see EVANS, C. S. | |
| Evening bat isolation calls provide evidence for heritable signatures | 847 |
| Evolution of ungulate leks | 1121 |
| Father's presence, significance for offspring survival in the monogamous California mouse, <i>Peromyscus californicus</i> | 539 |
| Fear of human beings in domestic chicks; reduction by handling | 991 |
| Fear of snakes in squirrel monkeys | 741 |
| Feeding behaviour of Burmese fowl; influence of social stimuli | 13 |
| Feeding competition among female olive baboons | 777, 791 |
| FEH, C. & DE MAZIÈRES, J. Grooming at a preferred site reduces heart rate in horses | 1191 |
| Females, adult, and immigrant males, juvenile rank relations with, in <i>Crocota crocuta</i> | 467 |
| Female adult wedge-capped capuchin monkeys, allogrooming behaviour among | 499 |

ANIMAL BEHAVIOUR, 46

| | |
|---|----------|
| Female-biased population of natterjack toads, <i>Bufo calamita</i> , reproductive strategies in | 1169 |
| Females, California ground squirrels, tail flagging by | 129 |
| Female house wrens, reproductive success, and male parental assistance | 1111 |
| Female juvenile and adult wedge-capped capuchin monkeys, asymmetries in grooming interactions between | 929 |
| Female mimicry as post-copulatory mate-guarding behaviour in the parasitic wasp <i>Cotesia rubecula</i> | 1183 |
| Female nest fidelity and egg survival in <i>Stegastes partitus</i> | 111 |
| Female olive baboons, feeding competition among | 777, 791 |
| Female orgasm, human | 887 |
| Females, penultimate, pre-copulatory guarding of, by male crab spiders | 951 |
| Females, <i>Phoca groenlandica</i> , lactating, diving behaviour of | 1213 |
| Female reproductive success in golden lion tamarins | 1067 |
| Female reproductive tactic, brood parasitism, in American coots | 911 |
| Female rhesus monkeys, lactational and environmental control of mating in | 63 |
| Female sexual response to condition-dependent ornaments in the guppy, <i>Poecilia reticulata</i> | 441 |
| Female sparrowhawks, <i>Accipiter nisus</i> , age and site fidelity | 161 |
| Female vocalizations, male response to, in the carpenter frog, <i>Rana virgatipes</i> | 1139 |
| Female white-crowned sparrows, singing and its functions | 511 |
| Feral ponies, natal dispersal in; sex differences | 969 |
| <i>Ficedula hypoleuca</i> : fledging; parental manipulation or sibling competition? | 379 |
| FIELD, S. A. & KELLER, M. A. Alternative mating tactics and female mimicry as post-copulatory mate-guarding behaviour in the parasitic wasp <i>Cotesia rubecula</i> | 1183 |
| Finches, zebra, <i>Taeniopygia guttata</i> ; song learning and imprinting to taped song | 149 |
| Fitness-linked traits in <i>Agelenopsis aperta</i> | 669 |
| FITZGERALD, G. J., see DE FRAIPONT, M. | |
| FITZGERALD, K. S., see MEIKLE, D. B. | |
| Fledging in altricial birds: parental manipulation or sibling competition? | 379 |
| Floral choice behaviour in bumble bees | 637 |
| Fluttering and non-fluttering moths, discrimination between, by brown long-eared bats, <i>Plecotus auritus</i> | 1151 |
| Fly, <i>Dryomyza anilis</i> , size-related male movement | 731 |
| Flycatcher, pied, <i>Ficedula hypoleuca</i> ; fledging in altricial birds | 379 |
| Food, functions of social learning about | 257 |
| Food ingestion facilitates the performance of stereotypies in sows | 939 |
| Food resources affect female distribution and male mating opportunities in the iguanian lizard <i>Uta palmeri</i> | 279 |
| Foraging, dynamics of scalar memory for travel time | 765 |
| Foraging experience influences honeybee dance behaviour | 123 |
| Foraging and vigilance, effect of body condition on trade-off between, in Belding's ground squirrels | 233 |
| <i>Formica argentea</i> : non-random behavioural interactions among genetic subgroups | 431 |
| Fowl, Burmese, <i>Gallus gallus spadiceus</i> ; social stimuli influencing feeding behaviour | 13 |
| FRANK, L. G., see SMALE, L. | |
| Frog, carpenter, <i>Rana virgatipes</i> , male response to female vocalizations | 1139 |
| <i>Fulica americana</i> : brood parasitism as a female reproductive tactic | 911 |
| GALEF, B. G., Jr. Functions of social learning about food: a causal analysis of effects of diet novelty on preference transmission | 257 |
| GALEF, B. G., Jr, see McQUOID, L. M. | |
| <i>Gallus gallus</i> : response to simulations of aerial predators; effects of size and speed | 1 |
| <i>Gallus gallus domesticus</i> chicks' fear of human beings; reduction by regular handling | 991 |
| <i>Gallus gallus spadiceus</i> : influence of social stimuli on feeding behaviour | 13 |
| <i>Gallus gallus spadiceus</i> : causal factors controlling dustbathing | 627 |
| GASS, C. L., see BROWN, G. S. | |
| <i>Gasterosteus aculeatus</i> : age-related differences in reproductive tactics | 961 |
| Geese, barnacle, <i>Branta leucopsis</i> , mate-selection behaviour and sampling strategies in | 747 |
| Genetic subgroups, non-random behavioural interactions among, in a polygynous ant | 431 |
| Geomagnetic field, effect on orientation of the marsh warbler, <i>Acrocephalus palustris</i> , in Sweden and Kenya | 1157 |
| GIVEN, M. F. Male response to female vocalizations in the carpenter frog, <i>Rana virgatipes</i> | 1139 |
| <i>Gnathonemus petersii</i> , sex differences in | 417 |
| Goats, <i>Capra hircus</i> , maternal labelling in | 705 |
| Goldfish, <i>Carassius auratus</i> , male; pheromone 17,20 β P enhances spawning success | 245 |
| GÖRANSSON, G., see GRAHN, M. | |
| GORDON, T. P., see GUST, D. A. | |
| Goshawks, <i>Accipiter gentilis</i> : the causes of dispersal | 365 |

CONTENTS

| | |
|--|---------------|
| Goshawks, <i>Accipiter gentilis</i> , sex differences in sociality and nest-switching | 371 |
| GRAFEN, A., see JOHNSTONE, R. A. | |
| GRAHN, M., GÖRANSSON, G. & VON SCHANTZ, T. Territory acquisition and mating success in pheasants, <i>Phasianus colchicus</i> : an experiment | 721 |
| GREENBERG, R., see MORTON, E. S. | |
| Grooming interactions between juvenile and adult female wedge-capped capuchin monkeys, asymmetries in | 929 |
| Grooming at a preferred site reduces heart rate in horses | 1191 |
| Guarding, pre-copulatory, of penultimate females by male crab spiders, <i>Misumenoides formosipes</i> .. | 951 |
| GUBERNICK, D. J., WRIGHT, S. L. & BROWN, R. E. The significance of father's presence for offspring survival in the monogamous California mouse, <i>Peromyscus californicus</i> | 539 |
| GUDERLEY, H., see DE FRAIPONT, M. | |
| Guppy, <i>Poecilia reticulata</i> , female sexual response to condition-dependent ornaments in | 441 |
| GUST, D. A. & GORDON, T. P. Conflict resolution in sooty mangabeys | 685 |
| Habitat choice by warblers | 47 |
| Handicap principle and dishonesty | 759 |
| Heart rate, reduced, in horses groomed at a preferred site | 1191 |
| HEDRICK, A. V., see RIECHERT, S. E. | |
| Heritable signatures, evening bat isolation calls provide evidence for | 847 |
| HERSEK, M. J. & OWINGS, D. H. Tail flagging by adult California ground squirrels: a tonic signal that serves different functions for males and females | 129 |
| HEWES, D. K. Food resources affect female distribution and male mating opportunities in the iguanian lizard <i>Uta palmeri</i> | 279 |
| HEYES, C. M. Anecdotes, training, trapping and triangulating: do animals attribute mental states? .. | 177 |
| HEYES, C. M. Imitation, culture and cognition | 999 |
| HOFER, H. & EAST, M. L. The commuting system of Serengeti spotted hyaenas: how a predator copes with migratory prey. I. Social organization | 547 |
| HOFER, H. & EAST, M. L. The commuting system of Serengeti spotted hyaenas: how a predator copes with migratory prey. II. Intrusion pressure and commuters' space use | 559 |
| HOFER, H. & EAST, M. L. The commuting system of Serengeti spotted hyaenas: how a predator copes with migratory prey. III. Attendance and maternal care | 575 |
| HOGAN, J. A. & VAN BOXEL, F. Causal factors controlling dustbathing in Burmese red junglefowl: some results and a model | 627 |
| HOLEKAMP, K. E. & SMALE, L. Ontogeny of dominance in free-living spotted hyaenas: juvenile rank relations with other immature individuals | 451 |
| HOLEKAMP, K. E., see SMALE, L. | 467 |
| Horses, <i>Equus caballus</i> , grooming at a preferred site reduces heart rate in | 1191 |
| Human beings, reduction of the domestic chick's fear of | 991 |
| Humans searching for cryptic 'prey', apostatic selection by | 713 |
| Human sperm competition: ejaculate adjustment by females | 887 |
| Human sperm competition: ejaculate adjustment by males and the function of masturbation | 861 |
| Human sperm competition: ejaculate manipulation by females | 887 |
| Hummingbirds, <i>Selasphorus rufus</i> , spatial association learning by | 487 |
| Hyaenas, spotted, <i>Crocuta crocuta</i> : ontogeny of dominance; juvenile rank relations | 451, 467 |
| Hyaenas, spotted, <i>Crocuta crocuta</i> , Serengeti; commuting system | 547, 559, 575 |
| Imitation, culture and cognition | 999 |
| Imprinting: early approach preferences of patterns and colours in quail | 95 |
| Imprinting to taped song in the zebra finch | 149 |
| Intruder detection in a territorial animal | 1105 |
| Intrusion pressure and commuters' space use of Serengeti spotted hyaenas | 559 |
| JOHNSON, D. F., TRIBLEHORN, J. & COLLIER, G. The effect of patch depletion on meal patterns in rats .. | 55 |
| JOHNSON, L. S. & KERMOTT, L. H. Why is reduced male parental assistance detrimental to the reproductive success of secondary female house wrens? | 1111 |
| JOHNSON, R. L., BERMAN, C. M. & MALIK, I. An integrative model of the lactational and environmental control of mating in female rhesus monkeys | 63 |
| JOHNSTONE, R. A. & GRAFEN, A. Dishonesty and the handicap principle | 759 |
| JONES, R. B. Reduction of the domestic chick's fear of human beings by regular handling and related treatments | 991 |
| JUDGE, P. G. & DE WAAL, F. B. M. Conflict avoidance among rhesus monkeys: coping with short-term crowding | 221 |
| Junglefowl, red, Burmese, <i>Gallus gallus spadiceus</i> , causal factors controlling dustbathing in | 627 |
| Juvenile and adult female wedge-capped capuchin monkeys' asymmetries in grooming interactions between | 929 |

| | |
|---|------|
| Juvenile rank relations with adult females and immigrant males; dominance in spotted hyaenas .. | 467 |
| Juvenile rank relations with other immature individuals; dominance in spotted hyaenas .. | 451 |
| KACELNIK, A., see TODD, I. A. | |
| KARLBOM, M., see KENWARD, R. E. | |
| KEIFER, R. R., see RUTBERG, A. T. | |
| KELLER, M. A., see FIELD, S. A. | |
| KENWARD, R. E., MARCSTRÖM, V. & KARLBOM, M. Post-nestling behaviour in goshawks, <i>Accipiter gentilis</i> : I. The causes of dispersal .. | 365 |
| KENWARD, R. E., MARCSTRÖM, V. & KARLBOM, M. Post-nestling behaviour in goshawks, <i>Accipiter gentilis</i> : II. Sex differences in sociality and nest-switching .. | 371 |
| KERMOTT, L. H., see JOHNSON, L. S. | |
| Kin recognition and cannibalism in spadefoot toad tadpoles .. | 87 |
| Kin recognition, tadpole, ontogenetic shifts in .. | 525 |
| KLEIMAN, D. G., see BAKER, A. J. | |
| KNAPP, R. A. The influence of egg survivorship on the subsequent nest fidelity of female bicour damselfish, <i>Stegastes partitus</i> .. | 111 |
| KOVACH, J. K. & WILSON, G. Early approach preferences of patterns and colours in quail: responses to artificial selection and imprinting .. | 95 |
| KOVACS, K. M., see LYDERSEN, C. | |
| Labelling, maternal, in goats .. | 705 |
| Lactating harp seal, <i>Phoca groenlandica</i> , females, diving behaviour of .. | 1213 |
| Lactational control of mating in female rhesus monkeys .. | 63 |
| LANDSMAN, R. E. Sex differences in external morphology and electric organ discharges in imported <i>Gnathonemus petersii</i> (Mormyridae) .. | 417 |
| Larvae of <i>Polyommatus icarus</i> , interaction with ants .. | 1177 |
| <i>Lasius flavus</i> interactions with larvae .. | 1177 |
| LAWRENCE, A. B. see TERLOUW, E. M. C. | |
| Learning constraints and floral choice behaviour in bumble bees .. | 637 |
| Learning, social, about food, functions of .. | 257 |
| Learning, song, in a population of wild brown-headed cowbirds .. | 293 |
| Learning, song, in the zebra finch .. | 149 |
| Learning, spatial association, by hummingbirds .. | 487 |
| LEIMAR, O. & AXÉN, A. H. Strategic behaviour in an interspecific mutualism: interactions between lycaenid larvae and ants .. | 1177 |
| Leks, ungulate, evolution of .. | 1121 |
| <i>Leontopithecus rosalia</i> : monopolization of paternity in multi-male groups .. | 1091 |
| <i>Leontopithecus rosalia</i> : polygyny and female reproductive success .. | 1067 |
| <i>Leucorhinia intacta</i> : alternative mating tactics in males .. | 325 |
| LEVY, F., see ROMEYER, A. | |
| Lions, <i>Panthera leo</i> , in the grass, watching for; scanning .. | 695 |
| LISKA, J., see CHEVALIER-SKOLNIKOFF, S. | |
| Lizard, iguanian, <i>Uta palmeri</i> ; food resources affect female distribution and male mating opportunities .. | 279 |
| LUSCHI, P. & DALL'ANTONIA, P. Anosmic pigeons orient from familiar sites by relying on the map-and-compass mechanism .. | 1195 |
| LYDERSEN, C. & KOVACS, K. M. Diving behaviour of lactating harp seal, <i>Phoca groenlandica</i> , females from the Gulf of St Lawrence, Canada .. | 1213 |
| LYON, B. E. Conspecific brood parasitism as a flexible female reproductive tactic in American coots .. | 911 |
| <i>Macaca mulatta</i> : conflict avoidance; coping with crowding .. | 221 |
| <i>Macaca mulatta</i> : control of mating in females .. | 63 |
| MACEDONIA, J. M., see EVANS, C. S. | |
| MACLEOD, H. A., see TERLOUW, E. M. C. | |
| McMANN, S. Contextual signalling and the structure of dyadic encounters in <i>Anolis carolinensis</i> .. | 657 |
| McQUOID, L. M. & GALEF, B. G. Jr. Social stimuli influencing feeding behaviour of Burmese fowl: a video analysis .. | 13 |
| Males, California ground squirrels, tail flagging by .. | 129 |
| Male crab spiders, pre-copulatory guarding of penultimate females by .. | 951 |
| Male goldfish: pheromone 17,20P enhances spawning success .. | 245 |
| Male groups of golden lion tamarins, monopolization of paternity in .. | 1091 |
| Males, human, ejaculate adjustment by .. | 861 |
| Males, immigrant, <i>Crocota crocata</i> ; juvenile rank relations .. | 467 |
| Male mating opportunities affected by food resources in <i>Uta palmeri</i> .. | 279 |
| Male mating success in the common spider mite, effect of size and sex ratio .. | 835 |
| Male movement, size-related, in the fly <i>Dryomyza anilis</i> .. | 731 |

CONTENTS

| | |
|---|---------------|
| Male parental assistance in the reproductive success of secondary female house wrens | 1111 |
| Male parental care and paternity confidence in tree swallows | 139 |
| Male pipefishes mate at random in the presence of a predator | 169 |
| Male response to female vocalizations in the carpenter frog, <i>Rana virgatipes</i> | 1139 |
| Male size, effect on male mating success in the common spider mite | 835 |
| Male white-faced dragonflies, alternative mating tactics in | 325 |
| MALIK, I., see JOHNSON, R. L. | |
| Mangabeys, sooty, <i>Cercocebus torquatus atys</i> , conflict resolution in | 685 |
| Map-and-compass mechanism used by anosmic pigeons | 1195 |
| MARCSTRÖM, V., see KENWARD, R. E. | |
| Marginal Value Theorem and psychological mechanisms; scalar memory for travel time | 765 |
| MARLER, P., see CHAIKEN, M. | |
| MARLER, P., see EVANS, C. S. | |
| MARPLES, N. M. Do wild birds use size to distinguish palatable and unpalatable prey types? | 347 |
| MASATAKA, N. Effects of experience with live insects on the development of fear of snakes in squirrel monkeys, <i>Saimiri sciureus</i> | 741 |
| Masturbation, function of | 861 |
| Mate-guarding behaviour in the parasitic wasp <i>Cotesia rubecula</i> | 1183 |
| Mate recognition in sympatric salamanders | 267 |
| Maternal care in Serengeti spotted hyaenas | 575 |
| Maternal condition and the sex ratio of offspring in humpback whales | 321 |
| Maternal dominance rank and secondary sex ratio in domestic swine | 79 |
| Maternal labelling in goats | 705 |
| Mate-selection behaviour and sampling strategies in geese | 747 |
| MATHIS, A. & SMITH, R. J. F. Fathead minnows, <i>Pimephales promelas</i> , learn to recognize northern pike, <i>Esox lucius</i> , as predators on the basis of chemical stimuli from minnows in the pike's diet | 645 |
| Mating control, lactational and environmental, in female rhesus monkeys | 63 |
| Mating opportunities, male, affected by food resources in <i>Uta palmeri</i> | 279 |
| Mating success, male, in the common spider mite | 835 |
| Mating success and territory acquisition in pheasants | 721 |
| Mating tactics, alternative, in male white-faced dragonflies | 325 |
| Mating tactics and female mimicry as post-copulatory mate-guarding behaviour in the parasitic wasp <i>Cotesia rubecula</i> | 1183 |
| Meal patterns in rats, effect of patch depletion | 55 |
| <i>Megaptera novaeangliae</i> : maternal condition and the sex ratio of offspring | 321 |
| MEIKLE, D. B., DRICKAMER, L. C., VESSEY, S. H., ROSENTHAL, T. L. & FITZGERALD, K. S. Maternal dominance rank and secondary sex ratio in domestic swine | 79 |
| Memory for travel time in foraging | 765 |
| Mental states, are they attributed by animals? | 177 |
| Mice, California, monogamous, <i>Peromyscus californicus</i> , significance of father's presence for offspring survival | 539 |
| Migratory prey, how a predator copes with; Serengeti spotted hyaenas | 547, 559, 575 |
| Mimicry, female, in the parasitic wasp <i>Cotesia rubecula</i> | 1183 |
| Minnows, fathead, <i>Pimephales promelas</i> ; recognition of <i>Esox lucius</i> as predators | 645 |
| <i>Misumenoides formosipes</i> males, pre-copulatory guarding of penultimate females by | 951 |
| Mite, spider, common, <i>Tetranychus urticae</i> , effect of male size and sex ratio on male mating success | 835 |
| <i>Molothrus ater artemisiae</i> , song learning in | 293 |
| Monkeys, capuchin, wedge-capped; allogrooming behaviour among adult females | 499 |
| Monkeys, capuchin, wedge-shaped, <i>Cebus olivaceus</i> , asymmetries in grooming interactions between juvenile and adult females | 929 |
| Monkeys, rhesus, female, <i>Macaca mulatta</i> , mating control in | 63 |
| Monkeys, rhesus, <i>Macaca mulatta</i> , conflict avoidance among | 221 |
| Monkeys, squirrel, <i>Saimiri sciureus</i> , fear of snakes in | 741 |
| Morphology, external, of <i>Gnathonemus petersii</i> , sex differences in | 417 |
| MORTON, E. S., VAN DER VOORT, M. & GREENBERG, R. How a warbler chooses its habitat: field support for laboratory experiments | 47 |
| MORTON, M. L., see BAPTISTA, L. F. | |
| Moths, fluttering and non-fluttering, discrimination between, by brown long-eared bats, <i>Plecotus auritus</i> | 1151 |
| Mutualism, interspecific, strategic behaviour in; interactions between lycaenid larvae and ants | 1177 |
| NEEDT, R. J. C., see CLUTTON-BROCK, T. H. | |
| Nest fidelity, female, and egg survivorship in <i>Stegastes partitus</i> | 111 |
| Nest parasitism, intraspecific, in birds; theory | 335 |
| Nest-switching in goshawks | 371 |

| | |
|---|----------|
| NEWTON, I. Age and site fidelity in female sparrowhawks, <i>Accipiter nisus</i> | 161 |
| NICOLETTO, P. F. Female sexual response to condition-dependent ornaments in the guppy, <i>Poecilia reticulata</i> | 441 |
| NILSSON, J.-Å. & SVENSSON, M. Fledging in altricial birds: parental manipulation or sibling competition? | 379 |
| NOWAK, R., see ROMEYER, A. | |
| <i>Nycticeius humeralis</i> isolation calls provide evidence for heritable signatures | 847 |
| O'BRIEN, T. G. Allogrooming behaviour among adult female wedge-capped capuchin monkeys | 499 |
| O'BRIEN, T. G. Asymmetries in grooming interactions between juvenile and adult female wedge-capped capuchin monkeys | 929 |
| <i>Octopus bimaculoides</i> : dominance and den use | 677 |
| Offspring survival, significance of father's presence for, in the monogamous California mouse, <i>Peromyscus californicus</i> | 539 |
| O'LOGHLEN, A. L. & ROTHSTEIN, S. I. An extreme example of delayed vocal development: song learning in a population of wild brown-headed cowbirds | 293 |
| Ontogenetic shifts in tadpole kin recognition: loss of signal and perception | 525 |
| Ontogeny of dominance in free-living spotted hyaenas: juvenile rank relations with adult females and immigrant males | 467 |
| Ontogeny of dominance in free-living spotted hyaenas: juvenile rank relations with other immature individuals | 451 |
| Orgasm, female, human | 887 |
| ORGUER, P., see ROMEYER, A. | |
| Orientation of the marsh warbler, <i>Acrocephalus palustris</i> , effect of geomagnetic field on, in Sweden and Kenya | 1157 |
| Orientation by pigeons; the map-and-compass mechanism | 1195 |
| Ornaments, condition-dependent, female sexual response to, in the guppy, <i>Poecilia reticulata</i> | 441 |
| OTRONEN, M. Size-related male movement and its effect on spatial and temporal male distribution at female oviposition sites in the fly <i>Dryomyza anilis</i> | 731 |
| OWINGS, D. H., see HERSEK, M. J. | |
| <i>Panthera leo</i> in the grass, watching for; scanning | 695 |
| <i>Papio anubis</i> females, feeding competition among | 777, 791 |
| Parasites, cytoplasmically inherited, and reproductive success in <i>Tribolium</i> flour beetles | 305 |
| Parasitic ants, <i>Polyergus breviceps</i> , colony takeover by | 479 |
| Parasitism, brood, as a flexible female reproductive tactic in American coots | 911 |
| Parasitism, nest, intraspecific, in birds; theory | 335 |
| Parental assistance, male, in the reproductive success of secondary female house wrens | 1111 |
| Parental care, male, in tree swallows | 139 |
| Parental manipulation; fledging in altricial birds | 379 |
| <i>Paroaria gularis</i> : an early warning system for detecting intruders | 1105 |
| <i>Parus ater</i> , singing interactions in | 1205 |
| <i>Parus palustris</i> , fledging in | 379 |
| <i>Parus palustris</i> : fledging; parental manipulation or sibling competition? | 379 |
| <i>Passerina cyanea</i> : song copying and cultural transmission | 1045 |
| Patch depletion, effect on meal patterns in rats | 55 |
| Paternity and male parental care in tree swallows | 139 |
| Paternity monopolization in multi-male groups of golden lion tamarins | 1091 |
| Patterns, early approach preferences of, in quail | 95 |
| PAYNE, L. L., see PAYNE, R. B. | |
| PAYNE, R. B. & PAYNE, L. L. Song copying and cultural transmission in indigo buntings | 1045 |
| <i>Peromyscus californicus</i> , significance of father's presence for offspring survival in | 537 |
| PFFENNIG, D. W., REEVE, H. K. & SHERMAN, P. W. Kin recognition and cannibalism in spadefoot toad tadpoles | 87 |
| <i>Phasianus colchicus</i> : territory acquisition and mating success | 721 |
| Pheasants, <i>Phasianus colchicus</i> , territory acquisition and mating success in | 721 |
| Pheromone 17 α ,20 β -dihydroxy-4-pregnen-3-one enhances spawning success, sperm production and sperm motility of male goldfish | 245 |
| <i>Phoca groenlandica</i> females, lactating, diving behaviour of | 1213 |
| Pigeons, anosmic, <i>Columba livia</i> , orient from familiar sites by relying on the map-and-compass mechanism | 1195 |
| Pike, northern, <i>Esox lucius</i> , recognized as predators by <i>Pimephales promelas</i> | 645 |
| <i>Pimephales promelas</i> : recognition of <i>Esox lucius</i> as predators | 645 |
| Pipefishes, male, <i>Syngnathus typhle</i> , mate at random in presence of a predator | 169 |
| <i>Plecotus auritus</i> , discrimination between fluttering and non-fluttering moths by | 1151 |
| <i>Poecilia reticulata</i> : female sexual response to condition-dependent ornaments | 441 |

CONTENTS

| | |
|--|---------------|
| POINDRON, P., <i>see</i> ROMEYER, A. | |
| Polygynous ant, non-random behavioural interactions among genetic subgroups in | 431 |
| Polygyny and female reproductive success in golden lion tamarins | 1067 |
| <i>Polyommatus icarus</i> larvae, interaction with ants | 1177 |
| Ponies, feral, natal dispersal in; sex differences | 969 |
| PORTER, R. H., <i>see</i> ROMEYER, A. | |
| Predation: how a predator copes with migratory prey; Serengeti spotted hyaenas | 547, 559, 575 |
| Predation risk; male pipefishes mate at random | 169 |
| Predators, aerial, simulations of, and the response of chickens, <i>Gallus gallus</i> | 1 |
| Predators, <i>Esox lucius</i> recognized as, by <i>Pimephales promelas</i> | 645 |
| 'Prey', cryptic, apostatic selection by humans searching for | 713 |
| Prey types, palatable and unpalatable, distinguished by wild birds using size | 347 |
| Psychological mechanisms and the Marginal Value Theorem; scalar memory for travel time | 765 |
| Quail, <i>Coturnix coturnix japonica</i> , early approach preferences of patterns and colours in | 95 |
| RACEY, P. A., <i>see</i> ANDERSON, M. E. | |
| <i>Rana aurora</i> kin recognition, ontogenetic shifts in | 525 |
| <i>Rana esculenta</i> , effects of fish cues on the behavioural responses of | 355 |
| <i>Rana lessonae</i> , effects of fish cues on the behavioural responses of | 355 |
| <i>Rana virgatipes</i> : male response to female vocalizations | 1139 |
| Rats: effect of patch depletion on meal patterns | 55 |
| <i>Rattus norvegicus</i> : functions of social learning about food | 257 |
| RAVERET RICHTER, M. & WADDINGTON, K. D. Past foraging experience influences honey bee dance behaviour | 123 |
| REAL, L. A., <i>see</i> DUKAS, R. | |
| Recognition of <i>Esox lucius</i> as predators, by <i>Pimephales promelas</i> | 645 |
| Recognition, kin, and cannibalism in spadefoot toad tadpoles | 87 |
| Recognition, kin, tadpole, ontogenetic shifts in | 525 |
| REEVE, H. K., <i>see</i> PFENNIG, D. W. | |
| Reproductive success, female, in golden lion tamarins | 1067 |
| Reproductive success, and parasites, in <i>Tribolium</i> flour beetles | 305 |
| Reproductive success of secondary female house wrens, and male parental assistance | 1111 |
| Reproductive strategies in a female-biased population of natterjack toads, <i>Bufo calamita</i> | 1169 |
| Reproductive tactic, female, brood parasitism, in American coots | 911 |
| Reproductive tactics in the three-spined stickleback, age-related differences in | 961 |
| Residence, prior, has gradual influence on dominance in white-throated sparrows | 39 |
| RIECHERT, S. E. & HEDRICK, A. V. A test for correlations among fitness-linked behavioural traits in the spider <i>Agelenopsis aperta</i> (Araneae, Agelenidae) | 669 |
| ROBERTSON, R. J., <i>see</i> WHITTINGHAM, L. A. | |
| ROBINSON, G. E. & DYER, F. C. Plasticity of spatial memory in honey bees: reorientation following colony fission | 311 |
| ROMEYER, A., PORTER, R. H., LEVY, F., NOWAK, R., ORGEUR, P. & POINDRON, P. Maternal labelling is not necessary for the establishment of discrimination between kids by recently parturient goats | 705 |
| ROSENTHAL, T. L., <i>see</i> MEIKLE, D. B. | |
| ROTHSTEIN, S. I., <i>see</i> O'LOGHLEN, A. L. | |
| ROTHSTEIN, S. I., <i>see</i> SLOTOW, R. | |
| RUTBERG, A. T. & KEIPER, R. R. Proximate causes of natal dispersal in feral ponies: some sex differences | 969 |
| <i>Saimiri sciureus</i> , fear of snakes in | 741 |
| Salamanders, sympatric, <i>Desmognathus ochrophaeus</i> and <i>Desmognathus fuscus fuscus</i> ; sexual compatibility and mate-recognition | 267 |
| Scalar memory for travel time in foraging | 765 |
| Scanning, usefulness in watching for lions in the grass | 695 |
| <i>Scaphiopus bombifrons</i> tadpoles, kin recognition and cannibalism in | 87 |
| SCHEEL, D. Watching for lions in the grass: the usefulness of scanning and its effects during hunts | 695 |
| SCHERRER, J. A. & WILKINSON, G. S. Evening bat isolation calls provide evidence for heritable signatures | 847 |
| Seal, harp, <i>Phoca groenlandica</i> , lactating females, diving behaviour in | 1213 |
| <i>Selasphorus rufus</i> , spatial association learning by | 487 |
| SEMLITSCH, R. D., <i>see</i> STAUFFER, H.-P. | |
| Serengeti spotted hyaenas | 547, 559, 575 |
| Sex differences in <i>Gnathonemus petersii</i> | 417 |
| Sex differences in natal dispersal in feral ponies | 969 |
| Sex ratio, effect on male mating success in the common spider mite | 835 |
| Sex ratio of offspring in humpback whales; effect of maternal condition | 321 |

ANIMAL BEHAVIOUR, 46

| | |
|--|------|
| Sex ratio, secondary, and maternal dominance rank in domestic swine | 79 |
| Sexual incompatibility and mate-recognition systems; study of two species of sympatric salamanders .. | 267 |
| Sexual response, female, to condition-dependent ornaments in the guppy, <i>Poecilia reticulata</i> .. | 441 |
| SHERMAN, P. W., see PFENNIG, D. W. | |
| Sibling competition; fledging in atricial birds | 379 |
| Signalling, contextual, and the structure of dyadic encounters in <i>Anolis carolinensis</i> | 657 |
| Signalling, social status, in white-crowned sparrows | 977 |
| Singing interactions in coal tits, <i>Parus ater</i> | 1205 |
| Singing and its functions in female white-crowned sparrows | 511 |
| Site fidelity and age in female sparrowhawks, <i>Accipiter nisus</i> | 161 |
| Size: effect on response of chickens to simulations of aerial predators | 1 |
| Size, male, effect on male mating success in the common spider mite | 835 |
| Size: use by wild birds to distinguish palatable and unpalatable prey types | 347 |
| Size-related male movement in the fly <i>Dryomyza anilis</i> | 731 |
| SLATER, P. J. B., see ADHIKERANA, A. S. | |
| SLOTOW, R., ALCOCK, J. & ROTHSTEIN, S. I. Social status signalling in white-crowned sparrows: an experimental test of the social control hypothesis | 977 |
| SMALE, L., FRANK, L. G. & HOLEKAMP, K. E. Ontogeny of dominance in free-living spotted hyaenas: juvenile rank relations with adult females and immigrant males | 467 |
| SMALE, L., see HOLEKAMP, K. E. | |
| SMITH, R. J. F., see MATHIS, A. | 645 |
| Snakes, fear of, in squirrel monkeys | 741 |
| SNYDER, L. E. Non-random behavioural interactions among genetic subgroups in a polygynous ant .. | 431 |
| Social learning about food, functions of | 257 |
| Social organization of Serengeti spotted hyaenas | 547 |
| Social status signalling in white-crowned sparrows | 977 |
| Social stimuli influencing feeding behaviour of Burmese fowl | 13 |
| Sociality and nest-switching in goshawks | 371 |
| Socially parasitic ant, <i>Polyergus breviceps</i> , colony takeover by | 479 |
| Sociospatial mechanisms of feeding competition in female olive baboons | 791 |
| Song acquisition in European starlings, <i>Sturnus vulgaris</i> | 1079 |
| Song copying and cultural transmission in indigo buntings | 1045 |
| Song learning in a population of wild brown-headed cowbirds | 293 |
| Song learning in the zebra finch | 149 |
| SORENSEN, P. W., see DEFRAIPONT, M. | |
| Sows, <i>Sus scrofa</i> , ingestion of food facilitates the performance of stereotypes | 939 |
| Sparrows, white-throated, <i>Zonotrichia albicollis</i> ; prior residence and dominance | 39 |
| Sparrows, white-crowned, <i>Zonotrichia leucophrys</i> , social status signalling in | 977 |
| Sparrows, white-crowned, <i>Zonotrichia leucophrys nuttalli</i> ; singing and its functions in females | 511 |
| Sparrowhawks, <i>Accipiter nisus</i> , age and site fidelity in females | 161 |
| Spatial association learning by hummingbirds | 487 |
| Spatial memory plasticity in honey bees; reorientation following colony fission | 311 |
| Spawning success, pheromone-enhanced, of male goldfish | 245 |
| Speed: effect on the response of chickens to simulations of aerial predators | 1 |
| Sperm competition, human; ejaculate adjustment by males and the function of masturbation .. | 861 |
| Sperm competition, human; ejaculate manipulation by females | 887 |
| Sperm production and motility, enhanced by pheromone 17,20BP, in male goldfish | 246 |
| <i>Spermophilus beecheyi beecheyi</i> , adult, tail flagging by | 129 |
| <i>Spermophilus beldingi</i> : the effect of body condition on the trade-off between vigilance and foraging .. | 233 |
| Spiders, <i>Agelenopsis aperta</i> , fitness-linked traits | 669 |
| Spiders, crab, male, <i>Misumenoides formosipes</i> , pre-copulatory guarding of penultimate females by .. | 951 |
| Squirrels, ground, California, <i>Spermophilus beecheyi beecheyi</i> , tail flagging by | 129 |
| Squirrels, ground, <i>Spermophilus beldingi</i> , effect of body condition on trade-off between vigilance and foraging | 233 |
| STAMPS, J. A., see EASON, P. K. | |
| Starlings, European, <i>Sturnus vulgaris</i> , song acquisition in males | 1079 |
| Status signalling in white-crowned sparrows | 977 |
| STAUFFER, H.-P. & SEMLITSCH, R. D. Effects of visual, chemical and tactile cues of fish on the behavioural responses of tadpoles | 355 |
| <i>Stegastes partitus</i> : egg survival and female nest fidelity | 111 |
| Stereotypes in sows, food ingestion facilitates the performance of | 939 |
| STEVENS, L. Cytoplasmically inherited parasites and reproductive success in <i>Tribolium</i> flour beetles .. | 305 |
| Sticklebacks, three-spined, <i>Gasterosteus aculeatus</i> , age-related differences in reproductive tactics .. | 961 |

CONTENTS

| | |
|---|------|
| Strategic behaviour in an interspecific mutualism: interactions between lycaenid larvae and ants .. | 1177 |
| <i>Sturnus vulgaris</i> males, song acquisition in .. | 1079 |
| <i>Sus scrofa</i> , domestic, maternal dominance rank and secondary sex ratio in .. | 79 |
| <i>Sus scrofa</i> , sows: ingestion of food facilitates the performance of stereotypes .. | 939 |
| SVENSSON, M., see NILSSON, J.-Å. | |
| Swallows, tree, <i>Tachycineta bicolor</i> , paternity confidence and male parental care .. | 139 |
| Swine, domestic, <i>Sus scrofa</i> , maternal dominance rank and secondary sex ratio in .. | 79 |
| <i>Syngnathus typhle</i> males mate at random in the presence of a predator .. | 169 |
| <i>Tachycineta bicolor</i> : confidence of paternity and male parental care .. | 139 |
| Tadpoles, <i>Rana aurora</i> , ontogenetic shifts in kin recognition .. | 525 |
| Tadpoles, <i>Rana lessonae</i> and <i>Rana esculenta</i> , effect of fish cues on behavioural response of .. | 355 |
| Tadpoles, spadefoot toad, <i>Scaphiopus bombifrons</i> , kin recognition and cannibalism .. | 87 |
| <i>Taeniopygia guttata</i> : song learning and imprinting to taped song .. | 149 |
| Tail flagging by adult California ground squirrels .. | 129 |
| Tamarins, golden lion, <i>Leontopithecus rosalia</i> , monopolization of paternity in multi-male groups .. | 1091 |
| Tamarins, golden lion, <i>Leontopithecus rosalia</i> , polygyny and female reproductive success in .. | 1067 |
| TERLOUW, E. M. C., WIERSMA, A., LAWRENCE, A. B. & MACLEOD, H. A. Ingestion of food facilitates the performance of stereotypes in sows .. | 939 |
| Territorial animal: an early warning system for detecting intruders .. | 1105 |
| Territory acquisition and mating success in pheasants .. | 721 |
| <i>Tetramorium caespitum</i> interactions with larvae .. | 1177 |
| <i>Tetranychus urticae</i> : effect of male size and sex ratio on male mating success .. | 835 |
| Tits, coal, <i>Parus ater</i> , singing interactions in .. | 1205 |
| Tits, marsh, <i>Parus palustris</i> : fledging in altricial birds .. | 379 |
| Toads, natterjack, <i>Bufo calamita</i> , reproductive strategies in a female-biased population .. | 1169 |
| TODD, I. A. & KACELNIK, A. Psychological mechanisms and the Marginal Value Theorem: dynamics of scalar memory for travel time .. | 765 |
| Tool use by wild and captive elephants .. | 209 |
| TOPOFF, H. & ZIMMERLI, E. Colony takeover by a socially parasitic ant, <i>Polyergus breviceps</i> : the role of chemicals obtained during host-queen killing .. | 479 |
| TRAIL, P. W., see BAPTISTA, L. F. | |
| Training: do animals attribute mental states? .. | 177 |
| Trapping: do animals attribute mental states? .. | 177 |
| TRIBLEHORN, J., see JOHNSON, D. F. | |
| <i>Tribolium</i> flour beetles, parasites and reproductive success in .. | 305 |
| <i>Troglodytes aedon</i> females: reproductive success and male parental assistance .. | 1111 |
| TUCKER, G. M. & ALLEN, J. A. The behavioural basis of apostatic selection by humans searching for computer-generated cryptic 'prey' .. | 713 |
| Ungulate leks, evolution of .. | 1121 |
| <i>Uta palmeri</i> : food resources affect female distribution and male mating opportunities .. | 279 |
| UZENDOSKI, K. & VERRELL, P. Sexual incompatibility and mate-recognition systems: a study of two species of sympatric salamanders (Plethodontidae) .. | 267 |
| VAN BOXEL, F., see HOGAN, J. A. | |
| VAN DER VOORT, M., see MORTON, E. S. | |
| VERRELL, P., see UZENDOSKI, K. | |
| VESSEY, S. H., see MEIKLE, D. B. | |
| Vigilance and foraging, effect of body condition on trade-off between, in Belding's ground squirrels .. | 233 |
| Vocal development, delayed; song learning in a population of wild brown-headed cowbirds .. | 293 |
| Vocal system, avian; meaning of alarm calls .. | 23 |
| Vocalizations, female, male response to, in the carpenter frog, <i>Rana virgatipes</i> .. | 139 |
| VON SCHANTZ, T., see GRAHN, M. | |
| WADDINGTON, K. D., see RAVERT RICHTER, M. | |
| WALLS, S. C., see BLAUSTEIN, A. R. | |
| WALTZ, E. C., see WOLF, L. L. | |
| Warblers, hooded, <i>Wilsonia citrina</i> , choice of habitat .. | 47 |
| Warblers, marsh, <i>Acrocephalus palustris</i> , effect of geomagnetic field on orientation of, in Sweden and Kenya .. | 1157 |
| Wasp, <i>Cotesia rubecula</i> , mate-guarding behaviour in .. | 1183 |
| Whales, humpback, <i>Megaptera novaeangliae</i> , maternal condition and the sex ratio of offspring .. | 321 |
| WHITEN, A., see BARTON, R. A. | |
| WHITTINGHAM, L. A., DUNN, P. O. & ROBERTSON, R. J. Confidence of paternity and male parental care: an experimental study in tree swallows .. | 139 |
| WIERSMA, A., see TERLOUW, E. M. C. | |

| | |
|---|------|
| WILEY, D. N. & CLAPHAM, P. J. Does maternal condition affect the sex ratio of offspring in humpback whales? | 321 |
| WILEY, R. H., see DEARBORN, D. C. | |
| WILKINSON, G. S., see SCHERRER, J. A. | |
| WILSON, G., see KOVACH, J. K. | |
| <i>Wilsonia citrina</i> : choice of habitat | 47 |
| <i>Wolbachia pipientis</i> and reproductive success in <i>Tribolium</i> flour beetles | 305 |
| WOLF, L. L. & WALTZ, E. C. Alternative mating tactics in male white-faced dragonflies: experimental evidence for a behavioural assessment ESS | 325 |
| Wrens, house, female, <i>Troglodytes aedon</i> ; reproductive success and male parental assistance | 1111 |
| WRIGHT, S. L., see GUBERNICK, D. J. | |
| YAMAUCHI, A. Theory of intraspecific nest parasitism in birds | 335 |
| YOSHIKAWA, T., see BLAUSTEIN, A. R. | |
| ZIMMERLI, E., see TOPOFF, H. | |
| <i>Zonotrichia albicollis</i> : influence of prior residence on dominance | 39 |
| <i>Zonotrichia leucophrys</i> social status signalling: test of social control hypothesis | 977 |
| <i>Zonotrichia leucophrys nuttalli</i> , female, singing and its functions in | 511 |

Short communications

| | |
|---|------|
| Aggression differences among sympatric <i>Leptothorax</i> ant species | 809 |
| Alarm response of red-legged frog tadpoles, effect of predator diet on | 1017 |
| ALBERTS, A. C. & WERNER, D. I. Chemical recognition of unfamiliar conspecifics by green iguanas: functional significance of different signal components | 197 |
| Alertness signalling in two rail species | 1229 |
| Algorithm for calculation of total interaction rate | 606 |
| Alloparental behaviour in the European badger | 413 |
| Altricial bird, filial preference without food reinforcement | 1237 |
| ALVAREZ, F. Alertness signalling in two rail species | 1229 |
| <i>Anodonta</i> clams, reproductive tactics in; parental host recognition | 618 |
| Ants, <i>Leptothorax</i> , differences in aggression among | 809 |
| Anti-predator behaviour of host <i>Gasterosteus aculeatus</i> , and the infectivity of <i>Schistocephalus solidus</i> | 603 |
| <i>Apis mellifera</i> : division of drones during swarming | 803 |
| <i>Apis mellifera</i> : how they find familiar feeding sites after changing nesting sites with a swarm | 813 |
| <i>Apis mellifera</i> workers, genotypic effects on the response to the colony environment | 403 |
| APPLEBY, M. C. How animals perceive a hierarchy: reactions to Freeman et al. | 1232 |
| Armadillo, <i>Chaetophractus villerosus</i> , searching strategies within food patches | 400 |
| AUSTAD, S. N., see BRISBIN, I. L., Jr | |
| Avian predators, escape responses by redshanks, <i>Tringa totanus</i> , on attack by | 609 |
| BACON, P. J., see BLACKWELL, P. | |
| Badger, European, <i>Meles meles</i> , alloparental behaviour | 413 |
| BARRETTE, C. The 'inheritance of dominance', or of an aptitude to dominate? | 591 |
| Bees, honey, <i>Apis mellifera</i> , division of drones during swarming | 803 |
| Bees, honey, <i>Apis mellifera</i> , genotypic effects on response of workers to the colony environment | 403 |
| Bees, honey, <i>Apis mellifera</i> , how they find familiar feeding sites after changing nesting sites with a swarm | 813 |
| BISSONETTE, J. A. A simple algorithm to calculate total interaction rate | 606 |
| Blackbirds, <i>Turdus merula</i> , filial preference without food reinforcement | 1237 |
| BLACKWELL, P. & BACON, P. J. A critique of the Territory Inheritance Hypothesis | 821 |
| Blennies, redlip, <i>Ophioblennius atlanticus</i> , females prefer older males | 203 |
| BRISBIN, I. L., Jr & AUSTAD, S. N. The use of trained dogs to discriminate human scent: a reply | 191 |
| BROOM, D. M., see SOMMERVILLE, B. A. | |
| BROWN, G. E., BROWN, J. A. & CROSBIE, A. M. Phenotype matching in juvenile rainbow trout | 1223 |
| BROWN, J. A., see BROWN, G. E. | |
| <i>Bucephala clangula</i> , responses of nesting mergansers to parasitic eggs laid by | 1226 |
| CABANAC, M. & GOSSELIN, F. Emotional fever in the lizard <i>Callopistes maculatus</i> (Teiidae) | 200 |
| CALDERONE, N. W. Genotypic effects on the response of worker honey bees, <i>Apis mellifera</i> , to the colony environment | 403 |
| <i>Callithrix j. jacchus</i> : contact call parameters covary with social context | 1026 |
| <i>Callopistes maculatus</i> , emotional fever in | 200 |
| CAPITANIO, J. P. More on the relation of inheritance to dominance | 600 |
| CARROLL, S. P. & MOORE, L. Hummingbirds take their vitamins | 817 |
| CASSINI, M. H. Searching strategies within food patches in the armadillo <i>Chaetophractus villerosus</i> | 400 |
| <i>Chaetophractus villerosus</i> : searching strategies within food patches | 400 |

CONTENTS

| | |
|---|----------|
| Chaffinches, male, <i>Fringilla coelebs</i> , do not enlarge their territories to prevent cuckoldry | 1036 |
| Chemical recognition of unfamiliar conspecifics by green iguanas | 197 |
| Chicks, <i>Gallus gallus domesticus</i> , retention of primary preferences after secondary filial imprinting | 405 |
| Chickadees, black-capped, <i>Parus atricapillus</i> , with nestlings, wing quivering of | 397 |
| Clams, <i>Anodonta</i> , reproductive tactics in; parental host recognition | 618 |
| CLEMMONS, J. R. see LAMBRECHTS, M. M. | |
| Colony environment, genotypic effects on the response of worker honey bees to | 403 |
| Coloration, nuptial, and predation risk in sand lizards, <i>Lacerta agilis</i> | 410 |
| Conspecifics, unfamiliar, chemical recognition of, by green iguanas | 197 |
| Contact call parameters covary with social context in common marmosets | 1026 |
| Contest success and mate guarding in male sand lizards, <i>Lacerta agilis</i> | 408 |
| COOK, S. E. Retention of primary preferences after secondary filial imprinting | 405 |
| CÔTÉ, I. M. & HUNTE, W. Female redlip blennies prefer older males | 203 |
| CRESSWELL, W. Escape responses by redshanks, <i>Tringa totanus</i> , on attack by avian predators | 609 |
| Crickets, female, <i>Gryllus integer</i> ; mate choice is influenced by predation risk | 193 |
| CROMPTON, D. W. T., see TIERNEY, J. F. | |
| CROSBIE, A. M., see BROWN, G. E. | |
| Cuckoldry prevention; male chaffinches do not enlarge their territories | 1036 |
| <i>Cyprinodon pecosensis</i> : physical condition and social status | 1234 |
| DARLING, F. M. C., see SOMMERVILLE, B. A. | |
| DEVLIN, T., see GOLDIZEN, A. W. | |
| DEWSBURY, D. A. More on the inheritance of dominance relationships: extending the concept of the phenotype | 597 |
| Diet, mother's, does it affect food selection of weanling wild mice? | 827 |
| Diet, predator, effect on alarm response of red-legged frog tadpoles | 1017 |
| DILL, L. M., see HEDRICK, A. V. | |
| Distance to cover affects foraging behaviour in gerbils | 1243 |
| Dogs, trained, use to discriminate human scent | 189, 191 |
| Dominance inheritance | 600 |
| Dominance inheritance; aptitude to dominate | 591 |
| Dominance inheritance; concept of the phenotype | 597 |
| Dominance, social, an evolutionary view | 594 |
| Drones, <i>Apis mellifera</i> , division during swarming | 803 |
| DU PLESSIS, M. A. Do group-territorial green woodhoopoes choose roosting partners on the basis of relatedness? | 612 |
| DYER, F. C. How honey bees find familiar feeding sites after changing nesting sites with a swarm | 813 |
| Eggs, common goldeneye, parasitic, responses of nesting mergansers to | 1226 |
| Electric fish, <i>Gymnotus carapo</i> , approach paths to an active electrode are affected by playback stimulus | 1240 |
| Empathy and 'natural pointing' in a rhesus monkey | 1023 |
| Escape responses by redshanks, <i>Tringa totanus</i> , on attack by avian predators | 609 |
| <i>Eupherusa eximia</i> and vitamin intake | 817 |
| Female crickets; mate choice is influenced by predation risk | 193 |
| Female redlip blennies prefer older males | 203 |
| Fever, emotional, in the lizard <i>Calloptis maculatus</i> | 200 |
| Filial imprinting, secondary, retention of primary preferences after | 405 |
| Filial preference in altricial bird without food reinforcement | 1237 |
| Finches, zebra, male, <i>Taeniopygia guttata</i> , do they prefer to learn songs that are familiar to females with which they are housed? | 616 |
| Food patches, searching strategies within, in the armadillo <i>Chaetophractus villerosus</i> | 400 |
| Food selection of weanling wild mice | 827 |
| Foraging behaviour of gerbils is affected by predation risk and distance to cover | 1243 |
| Foraging group size, optimal | 1032 |
| Frog, red-legged, <i>Rana aurora</i> , tadpoles, effect of predator diet on alarm response of | 1017 |
| <i>Gallinula chloropus</i> , alertness signalling in | 1229 |
| Gallinule, purple, <i>Porphyrio porphyrio</i> , alertness signalling by | 1229 |
| <i>Gallus gallus domesticus</i> chicks, retention of primary preferences after secondary filial imprinting | 405 |
| <i>Gasterosteus aculeatus</i> anti-predator behaviour, and the infectivity of <i>Schistocephalus solidus</i> | 603 |
| Genotypic effects on responses of worker honey bees, <i>Apis mellifera</i> , to the colony environment | 403 |
| <i>Gerbillurus tytonis</i> : predation risk and distance to cover affect foraging behaviour | 1243 |
| Gerbils, hairy-footed, dune, <i>Gerbillurus tytonis</i> , predation risk and distance to cover affect foraging behaviour | 1243 |
| Goldeneyes, common, <i>Bucephala clangula</i> , responses of nesting mergansers to parasitic eggs laid by | 1226 |
| GOLDIZEN, A. R., see GOLDIZEN, A. W. | |

| | |
|---|------|
| GOLDIZEN, A. W., GOLDIZEN, A. R. & DEVLIN, T. Unstable social structure associated with a population crash in the Tasmanian native hen, <i>Tribonyx mortierii</i> | 1013 |
| GOSSELIN, F., see CABANAC, M. | |
| GREENWOOD, J. J. D. Statistical power | 1011 |
| Group formation and group persistence | 824 |
| Group-territorial green woodhoopoes, do they choose roosting partners on the basis of relatedness? .. | 612 |
| <i>Gryllus integer</i> : mate choice by females is influenced by predation risk | 193 |
| Guppies, male, <i>Poecilia reticulata</i> , social preferences by | 1029 |
| <i>Gymnotus carapo</i> : approach paths to an active electrode are affected by playback stimulus | 1240 |
| HAILMAN, J. P., see LAMBRECHTS, M. M. | |
| HANSKI, I. K. & LAURILA, A. Male chaffinches do not enlarge their territories to prevent cuckoldry .. | 1036 |
| HEDRICK, A. V. & DILL, L. M. Mate choice by female crickets is influenced by predation risk | 193 |
| HESS, J., NOVAK, M. A. & POVINELLI, D. J. 'Natural pointing' in a rhesus monkey, but no evidence of empathy | 1023 |
| Hierarchy, perception by animals; reactions to Freeman et al. | 1232 |
| HUGHES, J. J. & WARD, D. Predation risk and distance to cover affect foraging behaviour in Namib Desert gerbils | 1243 |
| Hummingbirds, stripe-tailed, <i>Eupherusa eximia</i> , vitamin intake | 817 |
| HUNTE, W., see CÔTÉ, I. M. | |
| HUNTINGFORD, F. A., see TIERNEY, J. F. | |
| <i>Iguana iguana</i> : chemical recognition of unfamiliar conspecifics | 197 |
| Iguanas, green, chemical recognition of unfamiliar conspecifics by | 197 |
| Imprinting, filial, secondary, retention of primary preferences after | 405 |
| Interaction rate calculation; a simple algorithm | 606 |
| JOKELA, J. & PALOKANGAS, P. Reproductive tactics in <i>Anodonta</i> clams: parental host recognition .. | 618 |
| JONES, A. E. & SLATER, P. J. B. Do young male zebra finches prefer to learn songs that are familiar to females with which they are housed? | 616 |
| JUNCO, F. Acquisition of a filial preference in an altricial bird without food reinforcement | 1237 |
| Juvenile rainbow trout, phenotype matching in | 1223 |
| KODRIC-BROWN, A. & NICOLETTO, P. F. The relationship between physical condition and social status in pupfish, <i>Cyprinodon pecosensis</i> | 1234 |
| <i>Lacerta agilis</i> , male, contest success and male mate guarding in | 408 |
| <i>Lacerta agilis</i> , nuptial coloration and predation risk in | 410 |
| LAMBRECHTS, M. M., CLEMMONS, J. R. & HAILMAN, J. P. Wing quivering of black-capped chickadees with nestlings: invitation or appeasement? | 397 |
| LAURILA, A., see HANSKI, I. K. | |
| Learning: do male zebra finches prefer to learn songs that are familiar to females with which they are housed? | 616 |
| LEFCORT, H., see WILSON, D. J. | |
| <i>Leptothorax</i> ant species, differences in aggression among | 809 |
| LINDSTRÖM, E. R. Group formation and group persistence: on realism, elegance and simplification .. | 824 |
| LINDSTRÖM, K. & RANTA, E. Social preferences by male guppies, <i>Poecilia reticulata</i> , based on shoal size and sex | 1029 |
| Lizards, <i>Calloptes maculatus</i> , emotional fever in | 200 |
| Lizards, sand, <i>Lacerta agilis</i> , male, contest success and mate guarding in | 408 |
| Lizards, sand, <i>Lacerta agilis</i> , nuptial coloration and predation risk in | 410 |
| <i>Lophodytes cucullatus</i> , nesting, responses to parasitic common goldeneye eggs | 1226 |
| MCGREGOR, P. K., see SCUDAMORE, R. E. | |
| MAINARDI, M., see VALSECCHI, P. | |
| Male chaffinches do not enlarge their territories to prevent cuckoldry | 1036 |
| Male guppies, social preferences by | 1029 |
| Males, older, are preferred by female redlip blennies | 203 |
| Male sand lizards, contest success and mate guarding in | 408 |
| MALLORY, M. L. & WEATHERHEAD, P. J. Responses of nesting mergansers to parasitic common goldeneye eggs | 1226 |
| MARLER, P., see NELSON, D. A. | |
| Marmosets, common, <i>Callithrix j. jacchus</i> , contact call parameters covary with social context .. | 1026 |
| Mate choice by female crickets is influenced by predation risk | 193 |
| Mate guarding in male sand lizards, <i>Lacerta agilis</i> | 408 |
| <i>Meles meles</i> : alloparental behaviour | 413 |
| Mergansers, <i>Lophodytes cucullatus</i> , nesting, responses to parasitic common goldeneye eggs | 1226 |
| Mice, weanling, <i>Mus musculus</i> , food selection of | 827 |
| MILLER, D. G., see RATNIEKS, F. L. W. | |

CONTENTS

| | |
|--|----------|
| Mimicry: when is it good for predators? | 1246 |
| MOCK, D. W., see SCHWAGMEYER, P. L. | |
| MOLES, A., see VALSECCHI, P. | |
| Monkey, rhesus, 'natural pointing' in, and empathy | 1023 |
| MOORE, A. J. Towards an evolutionary view of social dominance | 594 |
| MOORE, L., see CARROLL, S. P. | |
| Moorhen, <i>Gallinula chloropus</i> , alertness signalling in | 1229 |
| Mother's diet, does it affect food selection of weanling wild mice? | 827 |
| <i>Mus musculus</i> , weanling, food selection of | 827 |
| 'Natural pointing' in a rhesus monkey | 1023 |
| Navigation: how honey bees find familiar feeding sites after changing nesting sites with a swarm | 813 |
| NEILL, A. J., see THOMPSON, C. F. | |
| NELSON, D. A. & MARLER, P. Innate recognition of song in white-crowned sparrows: a role in selective vocal learning? | 806 |
| Nesting mergansers: responses to parasitic common goldeneye eggs | 1226 |
| Nestlings, wing quivering of black-capped chickadees with | 397 |
| NICOLETTO, P. F., see KODRIC-BROWN, A. | |
| NOVAK, M. A., see HESS, J. | |
| Nuptial coloration and predation risk in sand lizards, <i>Lacerta agilis</i> | 410 |
| OLSSON, M. Contest success and mate guarding in male sand lizards, <i>Lacerta agilis</i> | 408 |
| OLSSON, M. Nuptial coloration and predation risk in model sand lizards, <i>Lacerta agilis</i> | 410 |
| <i>Oncorhynchus mykiss</i> : phenotype matching in juveniles | 1223 |
| <i>Ophioblennius atlanticus</i> females prefer older males | 203 |
| PALOKANGAS, P., see JOKELA, J. | |
| Parasitic common goldeneye eggs, responses of nesting mergansers to | 1226 |
| Parental host recognition; reproductive tactics in <i>Anodonta</i> clams | 618 |
| <i>Parus atricapillus</i> with nestlings, wing quivering of | 397 |
| Paternity, shaken confidence of | 1020 |
| Phenotype matching in juvenile rainbow trout | 1223 |
| <i>Phoeniculus purpureus</i> : do they choose roosting partners on the basis of relatedness? | 612 |
| Physical condition and social status in pupfish | 1234 |
| Playback stimulus, approach paths of electric fish to an active electrode are affected by | 1240 |
| <i>Poecilia reticulata</i> males, social preferences by | 1029 |
| Polygynous <i>Leptothorax</i> ant species, differences in aggression among | 809 |
| Population crash in the Tasmanian native hen, <i>Tribonyx mortierii</i> | 1013 |
| <i>Porphyrio porphyrio</i> , alertness signalling by | 1229 |
| POVINELLI, D. J., see HESS, J. | |
| Predation risk and distance to cover affect foraging behaviour in Namib Desert gerbils | 1243 |
| Predation risk influences mate choice by female crickets | 193 |
| Predation risk and nuptial coloration in sand lizards, <i>Lacerta agilis</i> | 410 |
| Predator diet: effect on alarm response of red-legged frog tadpoles | 1017 |
| Predators, avian, escape responses by redshanks, <i>Tringa totanus</i> , on attack by | 609 |
| Predators, when is mimicry good for? | 1246 |
| Pupfish, <i>Cyprinodon pecosensis</i> , physical condition and social status in | 1234 |
| Rail, alertness signalling | 1229 |
| <i>Rana aurora</i> tadpoles, effect of predator diet on the alarm response of | 1017 |
| RANTA, E. There is no optimal foraging group size | 1032 |
| RANTA, E., see LINDSTRÖM, K. | |
| RATNIEKS, F. L. W. & MILLER, D. G. Division of honey bee drones during swarming | 803 |
| Recognition, chemical, of unfamiliar conspecifics by green iguanas | 197 |
| Recognition, innate, of song in white-crowned sparrows: a role in selective vocal learning? | 806 |
| Recognition, parental host; reproductive tactics in <i>Anodonta</i> clams | 618 |
| Redshanks, <i>Tringa totanus</i> , escape responses by, on attack by avian predators | 609 |
| Relatedness and the basis of choice of roosting partners by green woodhoopoes | 612 |
| Reproductive tactics in <i>Anodonta</i> clams: parental host recognition | 618 |
| Roosting partners, are they chosen by green woodhoopoes on the basis of relatedness? | 612 |
| Scent, human; use of trained dogs to discriminate | 189, 191 |
| <i>Schistocephalus solidus</i> infectivity, and the anti-predator behaviour of <i>Gasterosteus aculeatus</i> | 603 |
| SCHRADER, L. & TODT, D. Contact call parameters covary with social context in common marmosets, <i>Callithrix j. jacchus</i> | 1026 |
| SCHWAGMEYER, P. L. & MOCK, D. W. Shaken confidence of paternity | 1020 |
| SCUDAMORE, R. E. & MCGREGOR, P. K. Approach paths of electric fish to an active electrode are affected by playback stimulus | 1240 |

ANIMAL BEHAVIOUR, 46

| | |
|--|------|
| Searching strategies within food patches in the armadillo <i>Chaetophractus vellerosus</i> | 400 |
| SETTLE, R. H., see SOMMERVILLE, B. A. | |
| Signalling, alertness, in two rail species | 1229 |
| Size of optimal foraging group | 1032 |
| SLATER, P. J. B., see JONES, A. E. | |
| Social context, contact call parameters covary with, in common marmosets | 1026 |
| Social dominance, an evolutionary view | 594 |
| Social preferences by male guppies, based on shoal size and sex | 1029 |
| Social status and physical condition in pupfish | 1234 |
| Social structure, unstable, associated with a population crash in the Tasmanian native hen, <i>Tribonyx mortierii</i> | 1013 |
| SOMMERVILLE, B. A., SETTLE, R. H., DARLING, F. M. C. & BROOM, D. M. The use of trained dogs to discriminate human scent | 189 |
| Songs: do male zebra finches prefer to learn songs that are familiar to females with which they are housed? | 616 |
| Song, innate recognition of, in white-crowned sparrows; a role in selective vocal learning? | 806 |
| Sparrows, white-crowned, <i>Zonotrichia leucophrys nuttalli</i> , innate recognition of song in | 806 |
| SPEED, M. P. When is mimicry good for predators? | 1246 |
| Statistical power | 1011 |
| Statistical power and accepting the null hypothesis | 1012 |
| Sticklebacks three-spined, <i>Gasterosteus aculeatus</i> , anti-predator behaviour, and the infectivity of <i>Schistocephalus solidus</i> | 603 |
| STUART, R. J. Differences in aggression among sympatric, facultatively polygynous <i>Lepiothorax</i> ant species | 809 |
| Swarming, division of honey bee drones during | 803 |
| Tadpoles, <i>Rana aurora</i> , effect of predator diet on alarm response of | 1017 |
| <i>Taeniopygia guttata</i> , male, do they prefer to learn songs that are familiar to females with which they are housed? | 616 |
| Tasmanian native hen, <i>Tribonyx mortierii</i> , population crash in | 1013 |
| Territories are not enlarged by male chaffinches to prevent cuckoldry | 1036 |
| Territory Inheritance Hypothesis; a critique | 821 |
| THOMPSON, C. F. & NEILL, A. J. Statistical power and accepting the null hypothesis | 1012 |
| TIERNEY, J. F., HUNTINGFORD, F. A. & CROMPTON, D. W. T. The relationship between infectivity of <i>Schistocephalus solidus</i> (Cestoda) and anti-predator behaviour of its intermediate host, the three-spined stickleback, <i>Gasterosteus aculeatus</i> | 603 |
| TODT, D., see SCHRADER, L. | |
| <i>Tribonyx mortierii</i> population crash | 1013 |
| <i>Tringa totanus</i> , escape responses by, on attack by avian predators | 609 |
| Trout, rainbow, <i>Oncorhynchus mykiss</i> , phenotype matching in juveniles | 1223 |
| <i>Turdus merula</i> : filial preference without food reinforcement | 1237 |
| VALSECHI, P., MOLES, A. & MAINARDI, M. Does mother's diet affect food selection of weanling wild mice? | 827 |
| Vitamins taken by <i>Eupherusa eximia</i> | 817 |
| WARD, D., see HUGHES, J. J. | |
| Weanling wild mice, food selection of | 827 |
| WEATHERHEAD, P. J., see MALLORY, M. L. | |
| WERNER, D. I., see ALBERTS, A. C. | |
| WILSON, D. J. & LEFCORT, H. The effect of predator diet on the alarm response of red-legged frog, <i>Rana aurora</i> , tadpoles | 1017 |
| Wing quivering of black-capped chickadees with nestlings: invitation or appeasement? | 397 |
| Woodhoopoes, green, <i>Phoeniculus purpureus</i> , do they choose roosting partners on the basis of relatedness? | 612 |
| WOODROFFE, R. Alloparental behaviour in the European badger | 413 |
| <i>Zonotrichia leucophrys nuttalli</i> , innate recognition of song in | 806 |

Book reviews

| | |
|---|------|
| APPLEBY, M. C., HUGHES, B. D. & ELSON, A. Poultry Production Systems. Behaviour, Management and Welfare | 625 |
| ARCHER, J. Ethology and Human Development | 829 |
| BICKERTON, D. (Ed) Language and Species | 829 |
| BIEWENER, A. A. (Ed) Biomechanics—Structures and Systems: A Practical Approach | 1253 |

CONTENTS

| | |
|---|------|
| ELWOOD, R. W. & NEIL, S. J. Assessments and Decisions: A Study of Information Gathering by Hermit Crabs | 621 |
| FEDIGAN, L. M. Primate Paradigms: Sex Roles and Social Bonds | 1250 |
| GOTTLIEB, G. Individual Development & Evolution. The Genesis of Novel Behavior | 207 |
| HACCOU, P. & MEELIS, E. Statistical Analysis of Behavioural Data. An Approach Based on Time-structured Models | 622 |
| HARCOURT, A. H. & DE WAAL, F. B. M. (Eds) Coalitions and Alliances in Humans and Other Animals | 1042 |
| HEILIGENBERG, W. F. Neural Nets in Electric Fish | 1251 |
| KALAT, J. W. Biological Psychology, 4th edn. | 1040 |
| KARLI, P. Animal and Human Aggression | 1249 |
| LUNDBERG, A. & ALATALO, R. V. The Pied Flycatcher | 622 |
| LYNCH, J. J., HINCH, G. N. & ADAMS, D. B. The Behaviour of Sheep. Biological Principles and Implications for Production | 623 |
| MANNING, A. & DAWKINS, M. S. An Introduction to Animal Behaviour. 4th edn. | 1041 |
| MARZLUFF, J. M. & BALDA, R. P. The Pinyon Jay. Behavioural Ecology of a Colonial and Cooperative Corvid | 832 |
| MITMAN, G. The State of Nature: Ecology, Community, and American Social Thought, 1900-1950 | 1039 |
| STEARNS, S. C. The Evolution of Life Histories | 624 |

